
Inno-Living

SMART FIREPLACE BURNER SR-48(1220mm)

Burning Ethanol Vapor





Included

Remote Control

Optional

Goolge Home

Amazon Echo Dot

WiFi

Available on the App Store

GET IT ON Google Play

Smart Home

Child Lock

AUTOMATIC FIRE BURNER

The automatic burner is based on burning ethanol vapor with automatic feeding system technology . Burn clean no smoke, or ash.

INTELLIGENT CONTROL AND BEST QUALITY

The burner is equipped with 8 safety technologies with automatic refueling system. Control the fire with the included remote, app on your smartphone or home automation system.

SMART FIREPLACE BURNER SR-48(1220mm)

Features & Functions

Automatic Feeding

Optimizes feeding system, minimizing waste and ensuring that resources are used effectively.

Auto Ignition


Quick Response: Ignition happens almost instantly, allowing for faster heating or operation.

Over filling Sensor

Helps meet regulatory requirements for safety and environmental standards by preventing spills and leaks.

Temperature Sensor

Integrated into fire control systems, enabling automation and real-time monitoring in fireplace operation



Automatically shut down fireplace when overheating is detected, preventing damage or fires..

Over Heating Sensor

Monitors the angle of fireplace body, help with safe installation

Anti Tilt Sensor

The automatic pump delivers the necessary amount of fuel. There is No risk of overfilling the tank

Automatic Refilling

Can measure CO2 concentrations of room, suitable for various environments, from confined spaces to open areas.

CO2 Sensor

SHS Integration

	RS-485	RS-232	DRY CONTACT
Z-WAVE	√		
CRESTON	√		
ZIGBEE	√		
BRITICINO	√		
M-BUS	√	√	
CONTROL-4		√	
RTI		√	√
MODBUS		√	
VIMAR BY-BY		√	
KNX			√
FABARO			√
LUTRON			√
TAPHOME			√


Inno-Living


SMART FIREPLACE BURNER SR-48(1220mm)


Technical Data

Custom Measure | **5+ Flame Setting** | **No Chimney** | **5 Years Warranty** | **CE Certified**

Material	SS304 Stainless steel
Flame Size	1102mm L
Unit Dimension	1220mm L x 193mm W x 168mm H
Fuel Capacity	10.3 Liter
Approx Burn Time	11-14 Hours
Heat Out put Net	6099 W /20808 BTU
Minimum Room	65-75 ㎡
Weight	G:36 Kgs; N:23 Kgs
Application	For indoor use only
Voltage	110-240V








SMART FIREPLACE BURNER SR-48(1220mm)

Installation Guide



1

Heat-Resistant Material which withstands min 150℃. Non-flammable material : bricks, tiles, stones, steel ,etc.


2


Min 1000mm to flammable objects from any open side of niche.
Min500mm to flammable objects from any sealed side of niche



SMART FIREPLACE BURNER SR-48(1220mm)

Installation Guide





1

Ensure that there is an active earth socket inside the wall, placed at the bottom right - ideally below the level of the tank.

2

For correct operation of the smart fireplace. The fireplace must be installed 100% horizontally according to the level.





Inno-living

Hangzhou Liying Crafts Co., Ltd

+86-571-88577855

info@inno-living.com

www.inno-living.com

Room 413, Zonghe Building, Shunfeng Road, Hangzhou city, Zhejiang Province , China

ALL PRODUCT SEPCIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE AND ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF.
THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF AND SUPPLIED MANUALS.
IMPLIED WARRANTIES OF MERCHANTABILITY, IMPLIED WARRANTIES OF FITNESS, IMPLIED WARRANTIES OF WORKMANSHIP AND OTHER IMPLIED WARRANTIES ARE EXCLUDED BY INNO-LIVING

© Copyright 2023, Hangzhou Liying Crafts Co., Ltd